

| L Number | Hits  | Search Text  | DB    | Time stamp       |
|----------|-------|--|-------|------------------|
| 1        | 0     | (361/71-75 and "59").CCLS.   | USPAT | 2003/03/22 19:30 |
| 2        | 0     | ((361/71-75 and "59").CCLS.) and temperature   | USPAT | 2003/03/22 19:30 |
| 3        | 915   | (361/71-75,59).CCLS.   | USPAT | 2003/03/22 19:30 |
| 4        | 68    | ((361/71-75,59).CCLS.) and temperature   | USPAT | 2003/03/22 19:30 |
| 5        | 10    | ((361/71-75,59).CCLS.) and temperature) and (MOSFET FET)   | USPAT | 2003/03/22 19:58 |
| 6        | 1     | 5638021.URPN.  | USPAT | 2003/03/22 19:52 |
| 7        | 229   | (361/59).CCLS.   | USPAT | 2003/03/22 19:58 |
| 8        | 3     | ((361/59).CCLS.) and temperature and (MOSFET FET)  | USPAT | 2003/03/22 20:27 |
| 9        | 20    | ((361/59).CCLS.) and temperature   | USPAT | 2003/03/22 20:27 |
| -        | 2167  | (overheat (excesive adj heat) heat) near (protection protect protecting)   | USPAT | 2002/08/29 08:10 |
| -        | 0     | ((overheat (excesive adj heat) heat) near (protection protect protecting)) and (gate adj circuit) and (latch adj circuit) and (temperature adj detecting adj circuit)                            | USPAT | 2002/08/29 08:19 |
| -        | 60    | (361/93.8).CCLS.   | USPAT | 2002/08/29 08:19 |
| -        | 40    | ((361/93.8).CCLS.) and (MOSFET FET transistor)   | USPAT | 2002/08/29 10:05 |
| -        | 1     | ((361/93.8).CCLS.) and (MOSFET FET transistor)) and ((overheat (excesive adj heat) heat) near (protection protect protecting))   | USPAT | 2002/08/29 08:23 |
| -        | 114   | (PWM (pulse adj width adj modulation)) and (fixed adj width)   | USPAT | 2002/08/29 08:24 |
| -        | 0     | ((PWM (pulse adj width adj modulation)) and (fixed adj width)) and ((overheat (excesive adj heat) heat) near (protection protect protecting))  | USPAT | 2002/08/29 08:26 |
| -        | 22    | ((PWM (pulse adj width adj modulation)) and (fixed adj width)) and (protect protecting protection) and (heat thermal overheat temperature)   | USPAT | 2002/08/29 11:40 |
| -        | 13    | ((361/93.8).CCLS.) and (MOSFET FET transistor)and feedback   | USPAT | 2002/08/29 10:44 |
| -        | 1145  | (361/93.8, 103, 106, "78").CCLS.   | USPAT | 2002/08/29 10:44 |
| -        | 0     | ("L4 and (MOSFET FET transistor) and feedback").PN.  | USPAT | 2002/08/29 10:45 |
| -        | 118   | ((361/93.8, 103, 106, "78").CCLS.) and (MOSFET FET transistor) and feedback  | USPAT | 2002/08/29 15:36 |
| -        | 4     | ((361/93.8, 103, 106, "78").CCLS.) and (MOSFET FET transistor) and feedback) and (PWM (pulse adj width adj modulation) pulse-width-modulation)   | USPAT | 2002/08/29 14:49 |
| -        | 36083 | control and (pwm (pulse adj width modulation)) and feedback  | USPAT | 2002/08/29 11:03 |
| -        | 26179 | (control and (pwm (pulse adj width modulation)) and feedback) and (digital microprocessor processor controller)  | USPAT | 2002/08/29 11:06 |
| -        | 3     | ((control and (pwm (pulse adj width modulation)) and feedback) and (digital microprocessor processor controller)) and (signal near7 (stops stopping stopped) near7 (succesfull correct desired)) | USPAT | 2002/08/29 11:09 |
| -        | 2     | 5638246.URPN.  | USPAT | 2002/08/29 14:57 |
| -        | 3     | ("5563760"   "5638246"   "5642252").PN.  | USPAT | 2002/08/29 14:59 |

| L Number | Hits | Search Text  | DB    | Time stamp       |
|----------|------|--|-------|------------------|
| 16       | 17   | disable and (361/\$.ccls. and<br>(predetermined adj number near3 times)) | USPAT | 2003/03/22 19:38 |

|   |    |  |       |                     |
|---|----|--|-------|---------------------|
| - | 28 | ((361/93.8).CCLS.) and ((361/103).CCLS.)   | USPAT | 2002/08/29<br>15:40 |
| - | 2  | ((361/93.8).CCLS.) and<br>((361/103).CCLS.)) and (PWM (pulse adj<br>width adj modulation)<br>pulse-width-modulation (pulse-width adj<br>modulation)) | USPAT | 2002/08/29<br>15:42 |